

Changelog

All notable changes to this project will be documented in this file.

The format is based on [Keep a Changelog](#),
and this project adheres to [Semantic Versioning](#).

[01231206.030202.04040154] - 2023-12-06

Fixed

- DNS: Fix internal handling of resolv.conf as a file link (rcS init script, DHCPv6 script)
- Release all resources after shadow file read operation (may fix login issues for dts user after changing the password or a parameter in general section)

[01230512.030202.04040153] - 2023-05-12

Added

- Add support for ts-2335v2
- Add user jail for terminal user
- Add support setting the ntp refid from application
- Add SNMP configuration mode support (V1, V2c, V3)
- Add support for GPS/GNSS info data provided by the GPS 4500 and GNSS 4500 receiver
- Log time source changes in `/var/log/dts.log`
- Add update support for ProductVersionNew.txt product branding
- Add this CHANGELOG.md file

Changed

- Use hardware number instead product number defining product feature set
- Increase tmp folder size from 64MB to 128MB
- Improve logging and error handling for update procedure
- Set time from RTC in case no source is configured

Deprecated

Removed

- Removed file header checks in ntp.conf and snmpd.conf

Fixed

- Restart network and network services on config restore from local backup
- Preserve user config during firmware update
- Preserve generated ssh key during firmware update
- Fix DCF out update time flag in shared memory 'OFS_DCF_UPDTIME'
- dtsmenu: Fix text for mail menu page
- dtsmenu: Fix menu input for manual time set to allow format hh:mm:ss DD.MM.YYYY
- dtsmenu: Fix error in general menu (no error "wrong value")

- dtsmenu: Don't print GNSS info in menu when time source is selected DCF low
- dtsmenu: Fix menu close on "Status->Info network config" (ts-2335v2 only)
- dtsmenu: Fix handling with missing LanguageX file (ts-2335v2 only)
- Fix second calculation for a serial telegram in case an offset is configured in telegram file (prevent possible 1 second offset)
- Configure input channel to IRIG or DCF also in running state
- Set refclock to unsync in case of Stratum = 16
- Fix timeout for no valid time with NTP as source
- Fix wrong NTP synch lost error when a MULTICAST address is set without an other NTP server configured
- SNMP: Restart the snmp device subagent in case a config change requires it (snmp, network changes)
- SNMP: Decrease number of status changed notification I (ts-2335v2 only)
- SNMP: Decrease number of status changed notification II (ts-2335v2 only)
- MIBs: Remove OFS_TINFO_SOFFSET_US as base of status notification generation (notification I) (ts-2335v2 only)
- MIBs: Add missing alarm bits 38 and 39
- MIBs: Fix length of ManualTimeSetUTC to 19 to allow format hh:mm:ss DD.MM.YYYY
- Fix watchdog handling at shutdown
- Fix kernel version part filling in firmware version string

Security

- Add On/Off configuration option for USB port
- Disabled FTP service in factory defaults configuration
- Disabled telnet service in factory defaults configuration
- Disabled ntpq service (no ntpq queries allowed) in factory defaults configuration
- Disabled SNMPv1/v2 (allow SNMPv3 only connection) in factory defaults configuration

[00290420.030101.02020152] - 2020-04-29

Added

- Show number of used GPS satellites in terminal menu

Changed

- Update ntpd to version 4.2.8p13
- Update dropbear ssh to version 2019.78

Fixed

- Fix for ntp as main time source or as backup source
- Fix loading factory defaults configuration
- Bugfix where device restarts in case no IPv4 configuration was set
- Set correct base browsing path for ftp

[V00110119.030101.02020150] 2019-01-11

First official release for the DTS 4135V2