

# Changelog DTS 4128

All notable changes to this project will be documented in this file.

The format is based on [Keep a Changelog](#)

Guiding Principles: see <https://keepachangelog.com/en/1.0.0/#how>

Possible log types:

- [Update instructions] for essential requirements, instructions and information about the software update procedure
- [Added] for new features
- [Changed] for changes in existing functionality. Improvements should appear under the 'changed' section
- [Deprecated] for once-stable features removed in upcoming releases
- [Removed] for now removed in this release
- [Fixed] for any bug fixes
- [Security] in case of vulnerabilities or other security related changes

**[04160224.040201.02030509 / 22032004] 2024-03-22**

## Update instructions

See also Bx-800847.08 or higher: chapter 7

## Added

## Changed

- Update ntp to 4.2.8p17
- Update dropbear (SSH) to 2022.83

## Deprecated

## **Removed**

## **Fixed**

## **Security**

- Features: SNMP V1 and V2c deselectable
- Disallow chargen TCP/UDP (CVE-1999-0103 / CVE-1999-0639)
- Disallow TCP timestamps
- Default settings changed (Telnet & FTP off, SNMP V3 only)
- Prevent from injected command in hostname and domainname
- Detect and block SSH brute force attack
- Root user login deactivated
- See also "Changed" (updates)

**[04270121.040201.02030208 / 02022021] 2021-10-28**

## **Update instructions**

See also Bx-800847.08 or higher: chapter 7

## **Added**

- Added option for NTPQ restriction

## **Changed**

- Update ntp to 4.2.8p15
- Updated dropbear (ssh) to 2020.81

## **Deprecated**

## **Removed**

## **Fixed**

## **Security**

- See "Changed" (updates)

**[04270913.040201.02020107 / 03082016] 2016-08-03**

## **Update instructions**

See also Bx-800847.04 or higher: chapter 7

## **Added**

## **Changed**

- bootloader changed for production tests

## **Deprecated**

## **Removed**

## **Fixed**

## **Security**

**[04270913.040201.02020107 / -] 2013-04-09**

## **Update instructions**

See also Bx-800847: chapter 7

## **Added**

## **Changed**

## **Deprecated**

## **Removed**

## **Fixed**

- DCF reception with CPU module 2.4A

## **Security**